Electroencephalography and clinical Neurophysiology, 1990, 76: 471–474
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF AUTHORS

VOLUME 77 (EP), 1990

(The numbers followed by P refer to abstracts from Society Proceedings)

Abbruzzese, G., Dall'Agata, D., Morena, M., Reni, L. and Favale, E., Abnormalities of parietal and prerolandic somatosensory evoked potentials in Huntington's disease, 340
Abe, Y. and Kuroiwa, Y., Amplitude asymmetry of hemifield pattern reversal VEPs in healthy subjects, 81
Adelman, C., Levi, H., Linder, N. and Sohmer, H., Neonatal auditory brain-stem response threshold and latency: 1 hour to 5 months, 77
Alho, K., see Nyman, G., 436
Alho, K., Sainio, K., Sajaniemi, N., Reinikainen, K. and Näätänen, R., Event-related brain potential of human newborns to pitch change of an acoustic stimulus, 151
Altenmüller, E., Cornelius, C.P. and Buettner, U.W., Somatosensory evoked potentials following tongue stimulation in normal subjects and patients with lesions of the afferent trigeminal system, 403
Amassian, V.E., Quirk, G.J. and Stewart, M., A comparion of corticospinal activation by magnetic coil and electrical stimulation of monkey motor cortex, 390
Amin, D., see Philpot, M.P., 323
Ando, A., see Yasuhara, A., 93
Andoh, K., see Yasuhara, A., 93
Attias, J. and Pratt, H., Three-channel Lissajous' trajectories of auditory event-related potentials to target stimuli, 127

Baele, P., see Guérit, J.M., 163
Bartel, P., Blom, M., Robinson, E., Van der Meyden, C., Sommers, D.K. and Becker, P., Effects of chlorpromazine on pattern and flash ERGs and VEPs compared to oxazepam and to placebo in normal subjects, 330
Basciani, M., see Onofrj, M., 314
Baumann, S.B., see Rogers, R.L., 237
Bazzano, S., see Onofrj, M., 314
Becker, P., see Bartel, P., 330
Berardelli, A., see Inghilleri, M., 382
Berman, R.F., see Lee, J.A., 362
Blom, M., see Bartel, P., 330
Bloom, F.E., see Polich, J., 179
Boyes, W.K., see Hudnell, H.K., 190
Brailowsky, S., see Knight, R.T., 225
Brophy, J., see Jabbari, B., 277
Brown, J.W., see Markand, O.N., 416
Brown, W.S., see Galbraith, G.C., 295
Brunko, E., see Delberghe, X., 86
Brunquell, P.J., Taylor, G.W., Holmes, G.L. and Feldman, D.S., Ontogenesis of lumbar spinal somatosensory evoked potentials after posterior tibial nerve stimulation in the rat, 112
Buettner, U.W., see Altenmüller, E., 403
Burke, D., see Gandevia, S.C., 353
Burke, D., see Skuse, N.F., 199

Cacace, A.T., Satya-Murti, S. and Wolpaw, J.R., Human middle-latency auditory evoked potentials: vertex and temporal components, 6
Cadaveira, F., see Díaz, F., 145
Caramia, M.D., see Rossini, P.M., 266
Carteri, A., see Zanette, G., 140
Chalklin, V., see Desmedt, J.E., 243
Chan, Y.W., Woo, E. and Yu, Y.L., Chronic effects of phenytoin on brain-stem auditory evoked potentials in man, 119
Chu, A., see Jabbari, B., 277
Cornelius, C.P., see Altenmüller, E., 403
Côte, R., see Thivierge, J., 309
Cruccu, G., see Inghilleri, M., 382
Curatola, L., see Onofrj, M., 314
Curio, G. and Weigel, K., Intra-ponto-mesencephalic recording of binaural interaction in human brain-stem auditory evoked potentials, 19
Cusumano, S., see Zanette, G., 140

Dall'Agata, D., see Abbruzzese, G., 340
Delberghe, X., Mavroudakis, N., Zegers de Beyl, D. and Brunko, E., The effect of stimulus frequency on post- and pre-central short-latency somatosensory evoked potentials, 86
De Munck, J.C., The estimation of time varying dipoles on the basis of evoked potentials, 156
Desmedt, J.E., Chalklin, V. and Tomberg, C., Emulation of somatosensory evoked potential (SEP) components with the 3-shell head model and the problem of 'ghost potential fields' when using an average reference in brain mapping, 243

0168-5597/90/$03.50 © 1990 Elsevier Scientific Publishers Ireland, Ltd.

Desmedt, J.E., see Tomberg, C., 259
Díaz, F., Cadaveira, F. and Grau, C., Short- and middle-latency auditory evoked potentials in abstinent chronic alcoholics: preliminary findings, 145
Dion, R., see Guérit, J.M., 163
Dobie, R.A. and Wilson, M.J., Optimal ('Wiener') digital filtering of auditory evoked potentials: use of coherence estimates, 205
Donaldson, G.S. and Rubel, E.W, Effects of stimulus repetition rate on ABR threshold, amplitude and latency in neonatal and adult Mongolian gerbils, 458
Dull, S.T., Konrad, P.E. and Tacker, Jr., W.A., Amplitude and latency characteristics of spinal cord motor evoked potentials in the rat, 68

Eisenberg, H.M., see Rogers, R.L., 237
Elbrecht, C., see Jabbari, B., 101
Emori, T., see Yasuhara, A., 93
Ertekin, Ç., see Hansen, M.V., 52

Favale, E., see Abbruzzese, G., 340
Feldman, D.S., see Brunquell, P.J., 112
Fukuda, H., see Ito, J., 174
Fulgente, T., see Onofrj, M., 314

Galbraith, G.C. and Brown, W.S., Cross-correlation and latency compensation analysis of click-evoked and frequency-following brain-stem responses in man, 295
Gandevia, S.C. and Burke, D., Projection of thenar muscle afferents to frontal and parietal cortex of human subjects, 353
Genba, K., see Sonoo, M., 28
Geyer, C., see Jabbari, B., 101, 277
Grafe, M.R., see Zornow, M.H., 137
Grau, C., see Díaz, F., 145
Grim, M.A., see Schwartz, D.M., 445
Guérit, J.M., Soveges, L., Baele, P. and Dion, R., Median nerve somatosensory evoked potentials in profound hypothermia for ascending aorta repair, 163
Gunderson, C.H., see Jabbari, B., 101, 277

Hansen, M.V., Ertekin, Ç. and Larsson, L.-E., Cerebral evoked potentials after stimulation of the posterior urethra in man, 52
Holmes, G.L., see Brunquell, P.J., 112
Hudnell, H.K., Boyes, W.K. and Otto, D.A., Stationary pattern adaptation and the early components in human visual evoked potentials, 190

Ikeda, A., see Shibasaki, H., 286
Inghilleri, M., Berardelli, A., Cruccu, G., Priori, A. and Manfredi, M., Motor potentials evoked by paired cortical stimuli, 382
Iragui, V., see Staley, K., 1
Ito, J., Yamao, S., Fukuda, H., Mimori, Y. and Nakamura, S., The P300 event-related potentials in dementia of the Alzheimer type. Correlations between P300 and monoamine metabolites, 174

Jabbari, B., Geyer, C., Gunderson, C., Chu, A., Brophy, J., McBurney, J.W. and Jonas, B., Somatosensory evoked potentials and magnetic resonance imaging in syringomyelia, 277
Jabbari, B., Geyer, C., Schlatter, M., Scherokman, B., Mitchell, M., McBurney, J.W., Elbrecht, C. and Gunderson, C.H., Somatosensory evoked potentials and magnetic resonance imaging in intraspinal neoplasms, 101
Jonas, B., see Jabbari, B., 277
Jones, S.J. and Van der Poel, J.C., Binaural interaction in the brain-stem auditory evoked potential: evidence for a delay line coincidence detection mechanism, 214

Kadoya, C., see Urasaki, E., 39, 233
Kakigi, R., see Shibasaki, H., 286
Kelly, A.R., see Lee, J.A., 362
Kimura, J., see Yasuhara, A., 93
King, R.D., see Markand, O.N., 416
Knight, R.T. and Brailowsky, S., Auditory evoked potentials from the primary auditory cortex of the cat: topographic and pharmacological studies, 225
Konrad, P.E., see Dull, S.T., 68
Kovala, T., Tolonen, U. and Pyhtinen, J., Correlation of tibial nerve SEPs with the development of seizures in patients with supratentorial cerebral infarcts, 347
Kunimoto, M., see Sonoo, M., 28
Kuroiwa, Y., see Abe, Y., 81

Ladish, C., see Polich, J., 179
Larsson, L.-E., see Hansen, M.V., 52
Laurinen, P., see Nyman, G., 436
Lee, J.A., Schoener, E.P., Nielsen, D.W., Kelly, A.R., Lin, W.-N. and Berman, R.F., Alcohol and the auditory brainstem response, brain temperature, and blood alcohol curves: explanation of a paradox, 362
Levi, H., see Adelman, C., 77
Levy, R., see Philpot, M.P., 323
Lin, W.-N., see Lee, J.A., 362
Linder, N., see Adelman, C., 77

Mahomed, Y., see Markand, O.N., 416
Malatesta, G., see Onofrj, M., 314
Mallik, G.S., see Markand, O.N., 416, 425
Manfredi, M., see Inghilleri, M., 382
Mannen, T., see Sonoo, M., 28
Mariorenzi, R., see Rossini, P.M., 266
Markand, O.N., Warren, C., Mallik, G.S., King, R.D., Brown, J.W. and Mahomed, Y., Effects of hypothermia on short latency somatosensory evoked potentials in humans, 416
Markand, O.N., Warren, C., Mallik, G.S. and Williams, C.J., Temperature-dependent hysteresis in somatosensory and auditory evoked potentials, 425
Martino, G., see Rossini, P.M., 266
Matsuoka, S., see Urasaki, E., 39, 233
Mavroudakis, N., see Delberghe, X., 86
McBurney, J.W., see Jabbari, B., 101, 277
Mimori, Y., see Ito, J., 174
Mitchell, M., see Jabbari, B., 101

Morena, M., see Abbruzzese, G., 340
Morris, M.D., see Schwartz, D.M., 445

Näätänen, R., see Alho, K., 151
Näätänen, R., see Nyman, G., 436
Nakamura, M., see Shibasaki, H., 286
Nakamura, S., see Ito, J., 174
Nielsen, D.W., see Lee, J.A., 362
Nishida, S., see Shibasaki, H., 286
Nishimura, Y. and Tonoue, T., Auditory brain-stem responses in the rat brain isolated from the body trunk and maintained via cross-circulation, 320
Noël, P., see Tomberg, C., 259
Nyman, G., Alho, K., Laurinen, P., Paavilainen, P., Radil, T., Reinikainen, K., Sams, M. and Näätänen, R., Mismatch negativity (MMN) for sequences of auditory and visual stimuli: evidence for a mechanism specific to the auditory modality, 436

Onofrj, M., Basciani, M., Fulgente, T., Bazzano, S., Malatesta, G. and Curatola, L., Maps of somatosensory evoked potentials (SEPs) to mechanical (tapping) stimuli: comparison with P14, N20, P22, N30 of electrically elicited SEPs, 314
Otto, D.A., see Hudnell, H.K., 190
Ozaki, I., see Tomberg, C., 259

Paavilainen, P., see Nyman, G., 436
Papanicolaou, A.C., see Rogers, R.L., 237
Paradiso, C., see Rossini, P.M., 266
Philpot, M.P., Amin, D. and Levy, R., Visual evoked potentials in Alzheimer's disease: correlations with age and severity, 323
Polich, J., Ladish, C. and Bloom, F.E., P300 assessment of early Alzheimer's disease, 179
Pratt, H., see Attias, J., 127
Priori, A., see Inghilleri, M., 382
Pyhtinen, J., see Kovala, T., 347

Quirk, G.J., see Amassian, V.E., 390

Radil, T., see Nyman, G., 436
Reinikainen, K., see Alho, K., 151
Reinikainen, K., see Nyman, G., 436
Reni, L., see Abbruzzese, G., 340
Robinson, E., see Bartel, P., 330
Rogers, R.L., Papanicolaou, A.C., Baumann, S.B., Saydjari, C. and Eisenberg, H.M., Neuromagnetic evidence of a dynamic excitation pattern generating the N100 auditory response, 237
Ross, M., see Yasuhara, A., 93
Rossini, P.M., Paradiso, C., Zarola, F., Mariorenzi, R., Traversa, R., Martino, G. and Caramia, M.D., Bit-mapped somatosensory evoked potentials and muscular reflex responses in man: comparative analysis in different experimental protocols, 266
Rubel, E.W, see Donaldson, G.S., 458

Sainio, K., see Alho, K., 151
Sajaniemi, N., see Alho, K., 151
Sams, M., see Nyman, G., 436
Satoh, T., see Shiraki, Y., 376
Satya-Murti, S., see Cacace, A.T., 6
Saydjari, C., see Rogers, R.L., 237
Scherokman, B., see Jabbari, B., 101
Schlatter, M., see Jabbari, B., 101
Schoener, E.P., see Lee, J.A., 362
Schwartz, D.M., Morris, M.D., Spydell, J.D., Ten Brink, C., Grim, M.A. and Schwartz, J.A., Influence of click polarity on the brain-stem auditory evoked response (BAER) revisited, 445
Schwartz, J.A., see Schwartz, D.M., 445
Seki, Y., see Yasuhara, A., 93
Shibasaki, H., Nakamura, M., Nishida, S., Kakigi, R. and Ikeda, A., Wave form decomposition of 'giant SEP' and its computer model for scalp topography, 286
Shima, F., see Urasaki, E., 39
Shimpo, T., see Sonoo, M., 28
Shiraki, Y. and Satoh, T., Modulation of vibrissa-evoked cortical potentials after infraorbital nerve crush in rats, 376
Skuse, N.F. and Burke, D., Power spectrum and optimal filtering for visual evoked potentials to pattern reversal, 199
Sohmer, H., see Adelman, C., 77
Sommers, D.K., see Bartel, P., 330
Sonoo, M., Shimpo, T., Genba, K., Kunimoto, M. and Mannen, T., Posterior cervical N13 in median nerve SEP has two components, 28
Soveges, L., see Guérit, J.M., 163
Spitz, M., see Staley, K., 1
Spydell, J.D., see Schwartz, D.M., 445
Staley, K., Iragui, V. and Spitz, M., The human fetal auditory evoked potential, 1
Stewart, M., see Amassian, V.E., 390
Swenson, M.R., see Zornow, M.H., 137

Tacker, Jr., W.A., see Dull, S.T., 68
Taylor, G.W., see Brunquell, P.J., 112
Ten Brink, C., see Schwartz, D.M., 445
Thivierge, J. and Côté, R., Brain-stem auditory evoked response: normative values in children, 309
Tolonen, U., see Kovala, T., 347
Tomberg, C., see Desmedt, J.E., 243
Tomberg, C., Noël, P., Ozaki, I. and Desmedt, J.E., Inadequacy of the average reference for the topographic mapping of focal enhancements of brain potentials, 259
Tonoue, T., see Nishimura, Y., 320
Traversa, R., see Rossini, P.M., 266
Tybor, C., see Zornow, M.H., 137

Urasaki, E., Wada, S., Kadoya, C., Yokata, A. and Matsuoka, S., Spinal intramedullary recording of human somatosensory evoked potentials, 233
Urasaki, E., Wada, S., Kadoya, C., Yokota, A., Matsuoka, S. and Shima, F., Origin of scalp far-field N18 of SSEPs in response to median nerve stimulation, 39

Vachatimanont, P., see Yasuhara, A., 93
Van der Meyden, C., see Bartel, P., 330
Van der Poel, J.C., see Jones, S.J., 214
Vodušek, D.B., Pudendal SEP and bulbocavernosus reflex in women, 134

Wada, S., see Urasaki, E., 39, 233
Warren, C., see Markand, O.N., 416, 425
Weigel, K., see Curio, G., 19
Williams, C.J., see Markand, O.N., 425
Wilson, M.J., see Dobie, R.A., 205
Witzmann, A., Changes of somatosensory evoked potentials with increase of intracranial pressure in the rat's brain, 59
Wolpaw, J.R., see Cacace, A.T., 6
Woo, E., see Chan, Y.W., 119

Yamada, T., see Yasuhara, A., 93
Yamao, S., see Ito, J., 174
Yasuhara, A., Yamada, T., Seki, Y., Emori, T., Vachatimanont, P., Andoh, K., Ando, A., Ross, M. and Kimura, J., Presence of two subcomponents in P9 far-field potential following stimulation of the median nerve, 93
Yokata, A., see Urasaki, E., 233
Yokata, A., see Urasaki, E., 39
Yu, Y.L., see Chan, Y.W., 119

Zanette, G., Carteri, A. and Cusumano, S., Reappearance of brain-stem auditory evoked potentials after surgical treatment of a brain-stem hemorrhage: contributions to the question of wave generation, 140
Zarola, F., see Rossini, P.M., 266
Zegers de Beyl, D., see Delberghe, X., 86
Zornow, M.H., Grafe, M.R., Tybor, C. and Swenson, M.R., Preservation of evoked potentials in a case of anterior spinal artery syndrome, 137

Electroencephalography and clinical Neurophysiology, 1990, 77: 475–479
Elsevier Scientific Publishers Ireland, Ltd.

INDEX OF SUBJECTS

VOLUME 77 (EP), 1990

Afferent activity
– muscle afferent cortical projections, 353
Age
– normative BAEP values in children, 309
– VEPs and Alzheimer's disease, 323
Alcohol
– and BAEPs, and brain temperature, 362
– BAEPs and MAEPs in abstinent chronic alcoholics, 145
Alzheimer's disease
– and VEPs, 323
– P300 and monoamine metabolites, 174
– P300 assessment of AD, 179
Antiepileptic drugs
– chronic effects of phenytoin on BAEP, 119
Audition
– binaural interaction in the BAEP, 214
– ERPs of newborns to pitch change, 151
– influence of click polarity on BAEPs, 445
– mismatch negativity for auditory stimuli, 436
Auditory cortex
– GABA effects on AEPs, 225
Auditory evoked potentials
– human middle latency AEP, 6
– in abstinent chronic alcoholics, 145
– mismatch negativity for auditory stimuli, 436
– temperature-dependent hysteresis in AEPs, 425
– "Wiener" filtered AEPs, 205
– 3-CLT of human auditory ERP, 127
– *see also* Brain-stem auditory evoked potentials
Average reference
– emulation of SEP components, with 3-shell head model, 243
– inadequacy of average reference for SEP mapping, 259
Axonal delay time
– binaural interaction in the BAEP, 214

BAEPs, *see* Brain-stem auditory evoked potentials
Bandwidth
– optimal filtering for VEPs to pattern reversal, 199
Binaural interaction
– in the BAEP, 19, 214
– "Wiener" filtered AEPs, 205
Book reviews, 402
Brain edema
– SEPs and increase in intracranial pressure, 59
Brain-stem
– BAEPs after surgery of brain hemorrhage, 140
– scalp far-field N18 in median nerve SEP, 39
Brain-stem auditory evoked potentials
– after surgery of brain hemorrhage, 140
– and alcohol, and brain temperature, 362
– binaural interaction in the BAEP, 19, 214
– chronic effects of phenytoin, 119
– cross-correlation of brain-stem responses in man, 295
– GABA effects on AEPs, 225
– human fetal AEP, 1
– in abstinent chronic alcoholics, 145
– influence of click polarity on BAEPs, 445
– in isolated rat brain, 320
– multiple sources for the N100 AEP, 237
– neonatal BAEPs, from 1 h to 5 months, 77
– normative BAEP values in children, 309
– ponto-mesencephalic field distribution, 19
– rate effects in neonatal and adult gerbils, 458
Bulbocavernosus reflex and pudendal SEP, 134

Cardiac surgery
– effects of hypothermia on SEPs, 416
– median nerve SEP in hypothermia, 163
– temperature-dependent hysteresis in SEPs and AEPs, 425
Cat
– GABA effects on AEPs, 225
Cerebral circulation
– SEPs and increase in intracranial pressure, 59
– tibial SEPs and seizures after stroke, 347
Cerebral lesions, *see* Lesions
Cerebrovascular disease
– tibial SEPs and seizures after stroke, 347
Cervical cord
– posterior cervical N13 in median nerve SEP, 28
Children, *see* Infants
Chlorpromazine and pattern and flash ERGs and VEPs, 330
Circulation
– median nerve SEP in hypothermia, 163
Click polarity influence on BAEPs, 445
Cognitive potentials
– emulation of SEP components, with 3-shell head model, 243
Coherence analysis
– "Wiener" filtered AEPs, 205

0168-5597/90/$03.50 © 1990 Elsevier Scientific Publishers Ireland, Ltd.

Computed EEG topography, *see* Topographic mapping
Computer model of giant SEP, 286
Conduction time
– SEPs in Huntington's disease, 340
Cortical barrel field
– vibrissa EPs after nerve injury in the rat, 376
Cross-circulation
– BAEPs in isolated rat brain, 320
Cuneate nucleus
– posterior cervical N13 in median nerve SEP, 28
Current source, *see* Generators
Cutaneous afferent cortical projections, 353

Deafferentation
– BAEPs in isolated rat brain, 320
Dementia
– P300 and monoamine metabolites, 174
– P300 assessment of Alzheimer's disease, 179
– VEPs and Alzheimer's disease, 323
Development
– BAEP rate effects in neonatal and adult gerbils, 458
– ontogenesis of rat lumbar spinal SEP, 112
Diagnosis
– VEPs and Alzheimer's disease, 323
Digital nerve
– effect of stimulus frequency on SEP, 86
Dipole
– dipole estimation on the basis of EPs, 156
– emulation of SEP components, with 3-shell head model, 243
– inadequacy of average reference for SEP mapping, 259
– multiple sources for the N100 AEP, 237
– two subcomponents in P9 far-field SEP, 93
Direct recording
– scalp far-field N18 in median nerve SEP, 39
Dopamine
– chlorpromazine and pattern and flash ERGs and VEPs, 330

Early components, *see* Short latency components
Electrical brain stimulation
– and magnetic stimulation in monkey, 390
– corticospinal activation by magnetic coil, 390
– motor EPs to paired cortical stimuli, 382
Electroretinogram, *see* ERG
EMG
– SEP mapping and long latency EMG responses, 266
Epilepsy
– chronic effects of phenytoin on BAEP, 119
– computer model of giant SEP, 286
– tibial SEPs and seizures after stroke, 347
ERG
– chlorpromazine and pattern and flash ERGs and VEPs, 330
Event-related potentials
– mismatch negativity for auditory and visual stimuli, 436
– of newborns to pitch change, 151
– P300 assessment of Alzheimer's disease, 179
– P300, monoamine metabolites, and dementia, 174
– 3-CLT of human auditory ERP, 127

Evoked potentials
– anterior spinal artery syndrome, 137
– auditory, *see* Auditory evoked potentials
– BAEPs, *see* Brain-stem auditory evoked potentials
– cerebral EPs to posterior urethra stimulation, 52
– dipole estimation on the basis of EPs, 156
– somatosensory, *see* Somatosensory evoked potentials
– to pattern, *see* Pattern
– vibrissa EPs after nerve injury in the rat, 376
– visual, *see* Visual evoked potentials
Experimental models, *see* Models

Far-field potentials
– scalp far-field N18 in median nerve SEP, 39
– two subcomponents in P9 far-field SEP, 93
Fetal human AEP, 1
Filtering
– optimal filtering for VEPs to pattern reversal, 199
– "Wiener" filtered AEPs, 205
First hours of life
– neonatal BAEPs, from 1 h to 5 months, 77
Frequency analysis, *see* Spectral analysis
Frequency-following response
– cross-correlation of brain-stem responses in man, 295
Frontal cortex
– muscle afferent cortical projections, 353
– SEPs in Huntington's disease, 340

GABA effects on AEPs, 225
Generators
– BAEPs after surgery of brain hemorrhage, 140
– dipole estimation on the basis of EPs, 156
– emulation of SEP components, with 3-shell head model, 243
– inadequacy of average reference for SEP mapping, 259
– multiple sources for the N100 AEP, 237
– posterior cervical N13 in median nerve SEP, 28
– scalp far-field N18 in median nerve SEP, 39
Gerbil
– BAEP rate effects in neonatal and adult gerbils, 458
Ghost potential field
– emulation of SEP components, with 3-shell head model, 243
– inadequacy of average reference for SEP mapping, 259

Heart surgery, *see* Cardiac surgery
Hemifield pattern reversal VEP asymmetry, 81
Hemorrhage
– BAEPs after surgery of brain hemorrhage, 140
Huntington's disease
– parietal and prerolandic SEPs, 340
Hypothermia
– and median nerve SEP, 163
– effects on SEPs, 416
– temperature-dependent hysteresis in SEPs and AEPs, 425

Infants
– normative BAEP values, 309

Intracranial recording
– binaural interaction in the human BAEP, 19
– ponto-mesencephalic field distribution of BAEP, 19
– posterior cervical N13 in median nerve SEP, 28
– scalp far-field N18 in median nerve SEP, 39
Intracranial pressure increase and SEPs, 59
Ischemia
– anterior spinal artery syndrome, 137

Latency compensation
– cross-correlation of brain-stem responses in man, 295
Lateralization
– BAEPs after surgery of brain hemorrhage, 140
– hemifield pattern reversal VEP asymmetry, 81
– vibrissa EPs after nerve injury in the rat, 376
Lesions
– of the afferent trigeminal system, and SEPs, 403
– vibrissa EPs after nerve injury in the rat, 376
Lingual nerve
– SEPs and lesion of the afferent trigeminal system, 403
Lissajous' trajectories of human auditory ERP, 127
Long latency components
– cross-correlation of brain-stem responses in man, 295
Long latency EMG responses and SEP mapping, 266
Long-term therapy
– chronic effects of phenytoin on BAEP, 119

Magnetic field
– multiple sources for the N100 AEP, 237
Magnetic resonance imaging
– and SEPs in intraspinal neoplasms, 101
– and SEPs in syringomyelia, 277
Magnetic stimulation
– corticospinal activation by magnetic coil, 390
– magnetic and electrical brain stimulation in monkey, 390
Magnetoencephalogram
– multiple sources for the N100 AEP, 237
Mapping, *see* Topographic mapping
Mechanical stimulation and SEP mapping, 314
Median nerve SEP
– effect of hypothermia, 416
– effect of stimulus frequency, 86
– in Huntington's disease, 340
– in hypothermia, 163
– intramedullary recording in man, 233
– posterior cervical N13, 28
– scalp far-field N18 in median nerve SEP, 39
– SEP mapping and long latency EMG responses, 266
– temperature-dependent hysteresis in SEPs, 425
– two subcomponents in P9 far-field SEP, 93
Middle latency responses
– BAEPs and MAEPs in abstinent chronic alcoholics, 145
– GABA effects on AEPs, 225
– human middle latency AEP, 6
Mismatch negativity
– ERPs of newborns to pitch change, 151
– for auditory and visual stimuli, 436
Models
– computer model of giant SEP, 286
– dipole estimation on the basis of EPs, 156
– emulation of SEP components, 243
– inadequacy of average reference for SEP mapping, 259
– 3-shell head model, 243
Monitoring
– anterior spinal artery syndrome, 137
– human fetal AEP, 1
– median nerve SEP in hypothermia, 163
– SEPs and increase in intracranial pressure, 59
Monkey
– magnetic and electrical brain stimulation, 390
Monoaminergic functions and P300 in dementia, 174
Motor cortex
– corticospinal activation by magnetic coil, 390
– magnetic and electrical stimulation in monkey, 390
– motor EPs to paired cortical stimuli, 382
Motor evoked potentials
– amplitudes and latencies of rat MEPs, 68
– to paired cortical stimuli, 382
Muscle afferent cortical projections, 353
Myoclonus
– computer model of giant SEP, 286

Neonates
– BAEPs, from 1 h to 5 months, 77
– ERPs to pitch change, 151
Nerve
– vibrissa EPs after nerve injury in the rat, 376
– *see also* Conduction time
Neuralgia
– SEPs and lesion of the afferent trigeminal system, 403
Neurological disorders
– anterior spinal artery syndrome, 137
– BAEPs after surgery of brain hemorrhage, 140
– intramedullary recording of human SEPs, 233
– MRI and SEPs in intraspinal neoplasms, 101
– MRI and SEPs in syringomyelia, 277
Normal human subjects
– asymmetry of hemifield pattern reversal VEP, 81
– binaural interaction in the BAEP, 214
– bulbocavernosus reflex and pudendal SEP, 134
– cerebral EPs to posterior urethra stimulation, 52
– chlorpromazine and pattern and flash ERGs and VEPs, 330
– cross-correlation of brain-stem responses, 295
– effect of stimulus frequency on SEP, 86
– emulation of SEP components, 243
– inadequacy of average reference for SEP mapping, 259
– maps of SEPs to mechanical stimuli, 314
– middle latency AEP, 6
– motor EPs to paired cortical stimuli, 382
– muscle afferent cortical projections, 353
– normative BAEP values in children, 309
– SEP following tongue stimulation, 403
– SEP mapping and long latency EMG responses, 266
– two subcomponents in P9 far-field SEP, 93

– visual pattern EPs, 190
– 3-CLT of human auditory ERP, 127
– 3-shell head model, 243
N100 localization
– multiple sources for the N100 AEP, 237

Occipital cortex
– asymmetry of hemifield pattern reversal VEP, 81

Paraplegia
– anterior spinal artery syndrome, 137
Parietal cortex
– muscle afferent cortical projections, 353
– SEPs in Huntington's disease, 340
Pattern adaptation
– visual pattern EPs in humans, 190
Pattern reversal
– asymmetry of hemifield pattern reversal VEP, 81
– optimal filtering for VEPs, 199
Pelvic nerve
– cerebral EPs to posterior urethra stimulation, 52
Phenytoin
– chronic effects of phenytoin on BAEP, 119
Ponto-mesencephalic field distribution of BAEP, 19
Power spectral analysis
– optimal filtering for VEPs to pattern reversal, 199
Pudendal nerve
– cerebral EPs to posterior urethra stimulation, 52
– pudendal SEP and bulbocavernosus reflex, 134
Pyramidal tract
– corticospinal activation by magnetic coil, 390
– magnetic and electrical brain stimulation in monkey, 390
– motor EPs to paired cortical stimuli, 382
P300
– and monoamine metabolites in dementia, 174
– P300 assessment of Alzheimer's disease, 179
– 3-CLT of human auditory ERP, 127

Rat
– alcohol, BAEPs, and brain temperature, 362
– amplitudes and latencies of motor EPs, 68
– BAEPs in isolated rat brain, 320
– ontogenesis of rat lumbar spinal SEP, 112
– SEPs and increase in intracranial pressure, 59
– vibrissa EPs after nerve injury, 376
Rate effect
– BAEP rate effects in neonatal and adult gerbils, 458
Recovery cycle
– motor EPs to paired cortical stimuli, 382

Sex differences
– normative BAEP values in children, 309
Short latency components
– BAEPs and MAEPs in abstinent chronic alcoholics, 145
– effects of hypothermia on SEPs, 416
– visual pattern EPs in humans, 190
Sine wave grating
– visual pattern EPs in humans, 190
Somatosensory evoked potentials
– and increase in intracranial pressure, 59
– and lesion of the afferent trigeminal system, 403
– and MRI in intraspinal neoplasms, 101
– and MRI in syringomyelia, 277
– anterior spinal artery syndrome, 137
– computer model of giant SEP, 286
– effect of hypothermia, 416
– effect of stimulus frequency, 86
– emulation of SEP components, with 3-shell head model, 243
– inadequacy of average reference for SEP mapping, 259
– in Huntington's disease, 340
– intramedullary recording of human SEPs, 233
– maps of SEPs to mechanical stimuli, 314
– median nerve SEP in hypothermia, 163
– muscle afferent cortical projections, 353
– ontogenesis of rat lumbar spinal SEP, 112
– posterior cervical N13 in median nerve SEP, 28
– pudendal SEP and bulbocavernosus reflex, 134
– scalp far-field N18 in median nerve SEP, 39
– SEP mapping and long latency EMG responses, 266
– temperature-dependent hysteresis in SEPs, 425
– tibial SEPs and seizures after stroke, 347
– to tongue stimulation, 403
– two subcomponents in P9 far-field SEP, 93
Sound lateralization
– binaural interaction in the BAEP, 214
Source, *see* Generators
Spatial distribution, *see* Topographic mapping
Spatial frequency
– visual pattern EPs in humans, 190
Spinal cord
– amplitudes and latencies of rat motor EPs, 68
– anterior spinal artery syndrome, 137
– intramedullary recording of human SEPs, 233
– MRI and SEPs in intraspinal neoplasms, 101
– MRI and SEPs in syringomyelia, 277
– ontogenesis of rat lumbar spinal SEP, 112
Steady-state response
– "Wiener" filtered AEPs, 205
Stroke
– tibial SEPs and seizures after stroke, 347
Syringomyelia
– and MRI and SEPs, 277
– intramedullary recording of human SEPs, 233

Technique
– human fetal AEP, 1
Temperature
– alcohol, BAEPs, and brain temperature, 362
Temporal lobe
– human middle latency AEP, 6
Thalamus
– scalp far-field N18 in median nerve SEP, 39

Threshold
- neonatal BAEPs, from 1 h to 5 months, 77
Tibial nerve
- MRI and SEPs in intraspinal neoplasms, 101
- SEPs and seizures after stroke, 347
Topographic mapping
- computer model of giant SEP, 286
- emulation of SEP components, with 3-shell head model, 243
- inadequacy of average reference for SEP mapping, 259
- maps of SEPs to mechanical stimuli, 314
- SEP mapping and long latency EMG responses, 266
Transcranial brain stimulation
- amplitudes and latencies of rat motor EPs, 68
- corticospinal activation by magnetic coil, 390
- magnetic and electrical brain stimulation in monkey, 390
- motor EPs to paired cortical stimuli, 382
Trigeminal lesions and SEPs, 403
Tumors
- MRI and SEPs in intraspinal neoplasms, 101

Urinary bladder
- cerebral EPs to posterior urethra stimulation, 52

Vertex
- human middle latency AEP, 6
Vibrissa EPs after nerve injury in the rat, 376
Visual evoked potentials
- and Alzheimer's disease, 323
- asymmetry of hemifield pattern reversal VEP, 81
- chlorpromazine and pattern and flash ERGs and VEPs, 330
- mismatch negativity for visual stimuli, 436
- optimal filtering for pattern reversal VEPs, 199
- visual pattern EPs in humans, 190
Volume conduction
- two subcomponents in P9 far-field SEP, 93

Wave form decomposition
- computer model of giant SEP, 286
Wiener filtered AEPs, 205